

LF Drivers	LF ND Drivers	Price	Woofers Recone Kits	Price
6MD38		€ 81.70	RCK 6PS38	€ 42.68
6PS38		€ 88.24	RCK 6MD38	€ 40.94
	6MDN44	€ 100.01	RCK 6MDN44	€ 42.17
	6NDL38	€ 106.91	RCK 6NDL38	€ 40.38
8PE21		€ 111.11	RCK 8PE21	€ 47.91
8PS21		€ 101.96	RCK 8PS21	€ 43.17
	8NDL51	€ 112.75	RCK 8NDL51	€ 44.25
	8MDN51	€ 141.18	RCK 8MDN51	€ 53.32
	8NW51	€ 161.76	RCK 8NW51	€ 53.32
10PS26		€ 148.96	RCK 10PS26	€ 66.97
10MD26		€ 164.71	RCK 10MD26	€ 72.29
10PLB76		€ 180.72	RCK 10PLB76	€ 74.80
	10HPL64	€ 133.42	RCK 10HPL64	€ 59.98
	10NDL64	€ 147.06	RCK 10NDL64	€ 60.21
	10NW64	€ 146.03	RCK 10NW64	€ 61.49
320K/C-8A		€ 98.89	RCK 320K/C-8A	€ 42.36
12PS76		€ 158.90	RCK 12PS76	€ 70.34
12PE32		€ 159.41	RCK 12PE32	€ 70.30
12PLB76		€ 166.55	RCK 12PLB76	€ 73.45
12PS100		€ 195.38	RCK 12PS100	€ 86.15
12TBX100		€ 259.15	RCK 12TBX100	€ 111.94
	12HPL64	€ 139.25	RCK 12HPL64	€ 61.41
	12HPL76	€ 166.30	RCK 12HPL76	€ 77.20
	12NDL76	€ 178.57	RCK 12NDL76	€ 78.75
	12NW76	€ 218.57	RCK 12NW76	€ 85.05
	12NW100	€ 274.14	RCK 12NW100	€ 115.13
15PLB76		€ 187.92	RCK 15PLB76	€ 80.46
15PS76		€ 182.19	RCK 15PS76	€ 78.00
15PS100		€ 208.09	RCK 15PS100	€ 91.84
15PL100		€ 247.02	RCK 15PL100	€ 105.77
15PZB100		€ 254.48	RCK 15PZB100	€ 108.97
15TBX100		€ 282.03	RCK 15TBX100	€ 120.75
	15HPL76	€ 189.54	RCK 15HPL76	€ 88.20
	15NDL76	€ 201.90	RCK 15NDL76	€ 86.45
	15NW76	€ 252.35	RCK 15NW76	€ 97.76
	15NA100	€ 341.26	RCK 15NA100	€ 125.00
	15NW100	€ 310.24	RCK 15NW100	€ 123.34
18PS76		€ 197.32	RCK 18PS76	€ 84.51
18PS100		€ 228.56	RCK 18PS100	€ 103.02
18PZB100		€ 295.01	RCK 18PZB100	€ 126.30
18TBX100		€ 324.52	RCK 18TBX100	€ 130.53
	18NW100	€ 350.49	RCK 18NW100	€ 135.78
	18SW115	€ 456.54	RCK 18SW115	€ 191.52
	21SW115	€ 547.62	RCK 21SW115	€ 229.74
	21SW152	€ 696.53	RCK 21SW152	€ 292.54

Coaxials	ND Coaxials	Price	Woofers Recone Kits	Price
8CX21		€ 177.31	RCK 8CX21	€ 47.91
8CXT		€ 242.11	RCK 8CXT	€ 47.91
	10NCX	€ 389.78	RCK 10NCX	€ 60.21
12CXT		€ 219.43	RCK 12CXT	€ 53.59
	12NCX	€ 403.34	RCK 12NCX	€ 68.30
	12CXN76	€ 485.62	RCK 12CXN76	€ 86.34
	12HCX76	€ 512.92	RCK 12HCX76	€ 86.34
	15CXN76	€ 515.65	RCK 15CXN76	€ 102.30
	15HCX76	€ 544.97	RCK 15HCX76	€ 102.30

HF Drivers	HF ND Drivers	Price	HF Diaphragms	Price
DE10		€ 43.90	MMD010	€ 19.93
DE12		€ 65.54	MMD012	€ 31.54
DE12TC		€ 70.69	MMD012TN	€ 36.79
DE160		€ 101.35	MMDDE160	€ 42.36
DE180		€ 107.43	MMDDE180	€ 44.30
DE200		€ 110.07	MMD200	€ 48.07
DE250		€ 116.24	MMDDE250	€ 44.30
DE610		€ 186.18	MMD610	€ 90.39
DE60TN		€ 229.49	MMD060TN	€ 114.66
DE64TN		€ 229.49	MMD064TN	€ 114.66
DE82TN		€ 258.16	MMD3ATN8	€ 114.66
DE85TN		€ 258.16	MMD3ATN8	€ 114.66
DE700TN		€ 314.13	MMD3ATN8	€ 114.66
DE750TN		€ 318.63	MMD3ATN8	€ 114.66
	DE38	€ 112.00	MMD038	€ 47.04
	DE400	€ 130.33	MMD400	€ 48.07
	DE400TN	€ 130.33	MMD400TN	€ 48.07
	DE500	€ 176.12	MMD500	€ 48.07
	DE800	€ 375.82	MMD800	€ 128.13
	DE820TN	€ 375.82	MMD3CTN8	€ 128.13
	DE900TN	€ 471.57	MMD3BTN8	€ 128.13
	DE950TN	€ 495.65	MMD3BTN8	€ 128.13
	DE920TN	€ 457.19	MMD3CTN8	€ 128.13
	DE1000	€ 555.40	MMD4ATN8	€ 153.72
	DE1050	€ 585.69	MMD4ATN8	€ 153.72
	DCX50	€ 517.97		
	DCM50	€ 385.62		
	DE35	€ 70.44	MMD035	€ 29.95

HF Line Array	Price
Source	
WGX12	€ 130.70
WGX200	€ 175.23
WGX400	€ 195.48
WGX500	€ 241.28
WGX610	€ 309.01
WGX800	€ 488.76
WGX820	€ 488.76
WGX920TN	€ 570.13

Horns	Price
ME10	€ 14.30
ME20	€ 23.33
ME45	€ 48.50
ME60	€ 87.96
ME90	€ 70.93

- New/Recent Products

- New Items or Price Changes shown in bold

Many of our products are available in multiple impedances.  
Please contact your B&C representative for additional options.



**B&C SPEAKERS**

**DEMIDOFF SAS**  
C.P.47-50020 Romola in Chianti (FI)  
<http://www.audion.net>  
<http://www.demidoff.org>  
e-mail: [info@audion.net](mailto:info@audion.net)  
Tel/Fax +39 055 827292

All prices and specifications are subject to  
change without notice.

**GENERAL PRICE LIST**

2009.04.01  
Revision 2



Model	Price	Size	Power Cont/AES	Sens Fs	Freq Resp	Voice Coil Size/Wire	Notes	Magnet	Weight Depth	Std Imped. Nom/Min
<b>Woofers 6"</b>			<b>Ceramic</b>							
6MD38	€ 81.70	6" 170mm	240w/ 120w	96dB 130Hz	150- 6000Hz	38mm (1.5") Aluminum	Midrange	Ceramic	2.2kg/4.8lb 82mm	8.0Ω/6.5Ω
6PS38	€ 88.24	6" 170mm	300w/ 150w	94dB 75Hz	70- 5000Hz	38mm (1.5") Aluminum	Woofer	Ceramic	2.2kg/4.8lb 82mm	8.0Ω/6.6Ω
<b>Woofers 6"</b>			<b>Neodymium</b>							
6MDN44	€ 100.01	6" 170mm	300w/ 150w	96.5dB 140Hz	150- 6000Hz	44mm (1.7") Aluminum	Midrange	Neo Ring	1.0kg/2.2lb 73mm	8.0Ω/6.5Ω
6NDL38	€ 106.91	6" 170mm	300w/ 150w	92dB 72Hz	70- 6000Hz	44mm (1.7") Copper	Aluminum demodulating ring for ver low distortion Compact Neo Magnet - light yet powerful motor assembly	Neo Ring	1.2kg/2.6lb 85mm	8.0Ω/6.0Ω

<b>Woofers 8"</b>			<b>Ceramic</b>							
8PS21	€ 101.96	8" 200mm	400w/ 200w	94dB 73Hz	70- 3000Hz	50mm (2.0") Copper		Ceramic	3.4kg/7.5lb 91mm	8.0Ω/7.0Ω (Avail 16Ω)
8PE21	€ 111.11	8" 200mm	400w/ 200w	98dB 87.5Hz	90- 5000Hz	50mm (2.0") Copper	Midrange	Ceramic	4.2kg/9.8lb 91mm	8.0Ω/7.2Ω
<b>Woofers 8"</b>			<b>Neodymium</b>							
8NDL51	€ 112.75	8" 200mm	400w/ 200w	94dB 66Hz	70- 3000Hz	50mm (2.0") Copper	Shorting copper cap for extended HF response Compact Neo Magnet - light yet powerful motor assembly Ventilated Voice Coil gap for reduced power compression	Neo Slug	2.2kg/4lb 90mm	8.0Ω/6.6Ω (Avail 16Ω)
<i>New</i> 8MDN51	€ 141.18	8" 200mm	400w/ 200w	97dB 70Hz	70- 4000Hz	50mm (2.0") Copper	Compact Neo Magnet - light yet powerful motor assembly Ventilated Voice Coil gap for reduced power compression	Neo Ring	2.6kg/5.6lb 94mm	8.0Ω/7.7Ω (Avail 16Ω)
8NW51	€ 161.76	8" 200mm	400w/ 200w	96.5dB 74Hz	70- 3000Hz	50mm (2.0") Copper	Mid-Bass - Shorting copper cap for extended HF response Compact Neo Magnet - light yet powerful motor assembly Ventilated Voice Coil gap for reduced power compression	Neo Ring	3.0kg/6.6lb 100mm	8.0Ω/7.7Ω (Avail 16Ω)

**DEMIDOFF SAS**  
 C.P.47-50020 Romola in Chianti (FI)  
<http://www.audion.net>  
<http://www.demidoff.org>  
 e-mail: [info@audion.net](mailto:info@audion.net)  
 Tel/Fax +39 055 827292



Model	Price	Size	Power Cont/AES	Sens Fs	Freq Resp	Voice Coil Size/Wire	Notes	Magnet / Weight	Weight Depth	Std Imped. Nom/Min
<b>Woofers</b>		<b>10"</b>	<b>Ceramic</b>							
10PS26	€ 148.96	10" 250mm	700w/ 350w	96dB 54Hz	55- 4000Hz	76mm (3") Aluminum		Ceramic	6.0kg/13.2lb 123mm	8.0Ω/7.1Ω
10MD26	€ 164.71	10" 250mm	700w/ 350w	100dB 76Hz	80- 4000Hz	76mm (3") Aluminum	Mid-Bass	Ceramic	7.3kg/16.1lb 124mm	8.0Ω/7.2Ω
10PLB76	€ 180.72	10" 250mm	800w/ 400w	98dB 52Hz	50- 2500Hz	76mm (3") Aluminum	Aluminium demodulating rings for lower distortion	Ceramic	7.3kg/16.1lb 124mm	8.0Ω/6.0Ω
<b>Woofers</b>		<b>10"</b>	<b>Neodymium</b>							
10HPL64	€ 133.42	10" 250mm	400w/ 200w	98.5dB 61Hz	60- 4000Hz	64mm (2.5") Aluminum	Compact Neo Magnet - light yet powerful motor assembly Mid-Bass	Neo Slug	2.0kg/4.4lb 122mm	8.0Ω/6.2Ω
10NDL64	€ 147.06	10" 250mm	500w/ 250w	97dB 56Hz	50- 3000Hz	64mm (2.5") Aluminum	Compact Neo Magnet - light yet powerful motor assembly Ventilated Voice Coil gap for reduced power compression	Neo Slug	2.9kg/6.4lb 113mm	8.0Ω/7.0Ω (Avail 16Ω)
10NW64	€ 146.03	10" 250mm	600w/ 300w	96dB 50Hz	50- 2500Hz	64mm (2.5") Copper	Shorting copper cap for extended HF response Compact Neo Magnet - light yet powerful motor assembly Ventilated Voice Coil gap for reduced power compression	Neo Slug	2.9kg/6.4lb 113mm	8.0Ω/6.5Ω (Avail 16Ω)

**DEMIDOFF SAS**  
 C.P.47-50020 Romola in Chianti (FI)  
<http://www.audion.net>  
<http://www.demidoff.org>  
 e-mail: info@audion.net  
 Tel/Fax +39 055 827292



Model	Price	Size	Power Cont/AES	Sens Fs	Freq Resp	Voice Coil Size/Wire	Notes	Magnet / Weight	Weight Depth	Std Imped. Nom/Min
<b>Woofers</b>		<b>12"</b>	<b>Ceramic</b>							
320K/C-8A	€ 98.89	12" 320mm	120w/ 60w	100dB 82Hz	70Hz- 16kHz	38mm (1.5") Copper	Fullrange speaker with whizzer cone Excellent for voice reproduction	Ceramic	4.8kg/10.6lb 140mm	16.0Ω/13.5Ω or 8.0Ω/7.5Ω
12PS76	€ 158.90	12" 320mm	900w/ 450w	95dB 42Hz	40- 1000Hz	76mm (3") Copper	Subwoofer	Ceramic	7.6kg/16.7lb 124mm	8.0Ω/7.5Ω
12PE32	€ 159.41	12" 320mm	500w/ 250w	101.5dB 51Hz	50- 4000Hz	64mm (2.5") Aluminum		Ceramic	7.6kg/16.7lb 124mm	8.0Ω/7.2Ω
12PLB76	€ 166.55	12" 320mm	700w/ 350w	98.5dB 50Hz	50- 2000Hz	76mm (3") Aluminum		Ceramic	7.4kg/16.4lb 136mm	8.0Ω/6.4Ω
12PS100	€ 195.38	12" 320mm	1400w/ 700w	93dB 44Hz	45- 1000Hz	100mm (4") Copper	Double Silicone Spider with optimized compliance	Ceramic	8.8kg/19.4lb 118mm	8.0Ω/6.7Ω
12TBX100	€ 259.15	12" 320mm	2000w/ 1000w	95dB 42Hz	45- 1000Hz	100mm (4") Copper	Aluminum demodulating rings for lower distortion Double Silicone Spider Ventilated Voice Coil gap for reduced power compression	Ceramic	11.8kg/26lb 135mm	8.0Ω/6.3Ω
<b>Woofers</b>		<b>12"</b>	<b>Neodymium</b>							
12HPL64	€ 139.25	12" 320mm	400w/ 200w	100dB 52Hz	50- 4000Hz	64mm (2.5") Aluminum	Compact Neo Magnet - light yet powerful motor assembly Ventilated Voice Coil gap for reduced power compression	Neo Slug	2.1kg/4.6lb 144mm	8.0Ω/6.5Ω
12HPL76	€ 166.30	12" 320mm	700w/ 350w	99dB 49Hz	50- 3500Hz	76mm (3") Aluminum	Compact Neo Magnet - light yet powerful motor assembly Ventilated Voice Coil gap for reduced power compression	Neo Slug	3.2kg/7.0lb 144mm	8.0Ω/6.7Ω
12NDL76	€ 178.57	12" 320mm	800w/ 400w	100dB 50Hz	50- 2000Hz	76mm (3") Aluminum	Mid-Bass Compact Neo Magnet - light yet powerful motor assembly Ventilated Voice Coil gap for reduced power compression	Neo Slug	3.9kg/8.6lb 141mm	8.0Ω/6.2Ω
12NW76	€ 218.57	12" 320mm	1000w/ 500w	98.5dB 40Hz	40- 2000Hz	76mm (3") Copper	Aluminum demodulating rings for lower power compression Neo Magnet for very high force factor and linear excursion Ventilated Voice Coil gap for reduced power compression	Neo Ring	4.9kg/10.8lb 147mm	8.0Ω/6.9Ω
12NW100	€ 274.14	12" 320mm	Revised 2000w/ 1000w	96dB 42Hz	40- 1500Hz	100mm (4") Copper	Subwoofer - Double Silicone Spider with optimized compliance FEA Optimized Neo Magnet - high force factor/linear excursion Ventilated Voice Coil gap for reduced power compression	Neo Slug	8.2kg/18lb 137mm	8.0Ω/6.2Ω

**DEMIDOFF SAS**  
 C.P.47-50020 Romola in Chianti (FI)  
<http://www.audion.net>  
<http://www.demidoff.org>  
 e-mail: [info@audion.net](mailto:info@audion.net)  
 Tel/Fax +39 055 827292



Model	Price	Size	Power Cont/AES	Sens Fs	Freq Resp	Voice Coil Size/Wire	Notes	Magnet / Weight	Weight Depth	Std Imped. Nom/Min
<b>Woofers 15" Ceramic</b>										
15PLB76	€ 187.92	15" 380mm	800w/ 400w	100dB 42Hz	40- 2000Hz	76mm (3") Copper		Ceramic	8.5kg/18.7lb 169mm	8.0Ω/6.2Ω
15PS76	€ 182.19	15" 380mm	1100w/ 550w	99dB 387Hz	40- 2000Hz	76mm (3") Copper	Double Silicone Spider with optimized compliance	Ceramic	8.7kg/19.1lb 171mm	8.0Ω/6.3Ω
15PS100	€ 208.09	15" 380mm	1400w/ 700w	94.5dB 33Hz	35- 1000Hz	100mm (4") x21mm Copper	+/-8mm Xmax	Ceramic	9.8kg/21.5lb 168mm	8.0Ω/6.5Ω
15PL100	€ 247.02	15" 380mm	1400w/ 700w	97dB 37Hz	35- 2000Hz	100mm (4") x21mm Copper	+/- 7mm Xmax Double Silicone Spider with optimized compliance	Ceramic	11.9kg/26.2lb 173mm	8.0Ω/6.8Ω
15PZB100	€ 254.48	15" 380mm	1400w/ 700w	97dB 39Hz	40- 2000Hz	100mm (4") 21mm Copper	+/- 8mm Xmax Double Silicone Spider with optimized compliance	Ceramic	11.8kg/28.8lb 174mm	8.0Ω/6.4Ω
15TBX100	€ 282.03	15" 380mm	2000w/ 1000w	96dB 35Hz	35- 1500Hz	100mm (4") x25mm Copper	Subwoofer, +/-9mm Xmax Aluminium demodulating rings for lower distortion Double Silicone Spider Ventilated Voice Coil gap for reduced power compression	Ceramic	12.3kg/27.1lb 181mm	8.0Ω/6.2Ω
<b>Woofers 15" Neodymium</b>										
15HPL76	€ 189.54	15" 380mm	700w/ 350w	99.5dB 39Hz	40- 2000Hz	76mm (3") Copper	Compact Neo Magnet-light yet powerful motor assembly Ventilated Voice Coil gap for reduced power compression	Neo Slug	3.8kg/8.4lb 171mm	8.0Ω/6.5Ω
15NDL76	€ 201.90	15" 380mm	1000w/ 500w	99.5dB 37Hz	40- 2000Hz	76mm (3") Copper	Compact Neo Magnet-light yet powerful motor assembly Ventilated Voice Coil gap for reduced power compression	Neo Slug	4.6kg/10.1lb 171mm	8.0Ω/6.7Ω
15NW76	€ 252.35	15" 380mm	1200w/ 600w	100.5dB 42Hz	40- 2000Hz	76mm (3") Copper	Aluminum demodulating rings for lower power compression Double Silicone Spider with optimized compliance Neo Magnet for very high force factor and linear excursion Ventilated Voice Coil gap for reduced power compression	Neo Ring	5.6kg/12.3lb 177mm	8.0Ω/6.9Ω
New 15NA100	€ 341.26	15" 380mm	1600w/ 800w	98dB 47Hz	40- 2000Hz	100mm (4") x23mm Aluminum	Aluminum voice coil, +/-10mm Xmax Carbon fibre reinforced paper cone Double Silicone Spider with optimized compliance FEA Optimized Neo Magnet w/high force factor/linear excursion Ventilated Voice Coil gap with aluminum demodulation ring	Neo Slug	9.0kg/20lb 180mm	8.0Ω/6.6Ω
15NW100	€ 310.24	15" 380mm	2000w/ 1000w	97dB 33Hz	35- 1500Hz	100mm (4") x25mm Copper	Subwoofer, +/-9mm Xmax Double Silicone Spider with optimized compliance FEA Optimized Neo Magnet - high force factor/linear excursion Ventilated Voice Coil gap for reduced power compression	Neo Slug	9.0kg/19.8lb 181mm	8.0Ω/6.2Ω

**DEMIDOFF SAS**  
 C.P.47-50020 Romola in Chianti (FI)  
<http://www.audion.net>  
<http://www.demidoff.org>  
 e-mail: [info@audion.net](mailto:info@audion.net)  
 Tel/Fax +39 055 827292



Model	Price	Size	Power Cont/AES	Sens Fs	Freq Resp	Voice Coil Size/Wire	Notes	Magnet / Weight	Weight Depth	Std Imped. Nom/Min
<b>Woofers</b>		<b>18"</b>		<b>Ceramic</b>						
		18"	1200w/	99dB	40-	76mm (3")	Subwoofer		10.7kg/23.5lb	
18PS76	€ 197.32	460mm	600w	39Hz	2000Hz	Copper	Double Silicone Spider with optimized compliance	Ceramic	202mm	8.0Ω/6.5Ω
		18"	1400w/	95.5dB	30-	100mm (4")	Subwoofer, +/-8mm Xmax		10.5kg/23.1lb	
18PS100	€ 228.56	460mm	700w	30Hz	1000Hz	Copper	Double Silicone Spider with optimized compliance	Ceramic	197mm	8.0Ω/6.3Ω
		18"	1400w/	97dB	40-	100mm (4")	Subwoofer, +/-8mm Xmax		12.1kg/26.6lb	
18PZB100	€ 295.01	460mm	700w	30Hz	2000Hz	Copper	Double Silicone Spider with optimized compliance	Ceramic	202mm	8.0Ω/6.5Ω
		18"	2400w/	97dB	35-	100mm (4")	Subwoofer - +/-9mm Xmax		13.0kg/28.6lb	
18TBX100	€ 324.52	460mm	1200w	34Hz	1500Hz	Copper	Aluminium demodulating rings for lower distortion Double Silicone Spider Ventilated Voice Coil gap for reduced power compression	Ceramic	209mm	8.0Ω/6.2Ω
<b>Woofers</b>		<b>18"</b>		<b>Neodymium</b>						
		18"	2400w/	98dB	35-	100mm (4")	Subwoofer, +/-9mm Xmax		9.3kg/20.5lb	
18NW100	€ 350.49	460mm	1200w	31Hz	1000Hz	Copper	Double Silicone Spider with optimized compliance FEA Optimized Neo Magnet w/high force factor/linear excursion Ventilated Voice Coil gap for reduced power compression	Neodymium Inside Slug	209mm	8.0Ω/6.3Ω
		18"	3400w/	96.5dB	35-	116mm (4.5")	Subwoofer - 60mm peak-peak excursion, +/-15mm Xmax		10.2kg/22.4lb	
New 18SW115	€ 456.54	460mm	1700w	35Hz	1000Hz	Copper	Split Winding Voice coil Double Silicone Spider with optimized compliance FEA Optimized Neo Magnet w/high force factor/linear excursion Ventilated Voice Coil gap with aluminum demodulation ring	Neo Ring	242mm	8.0Ω/6.5Ω
<b>Woofers</b>		<b>21"</b>		<b>Neodymium</b>						
		21"	3400w/	97dB	35-	116mm (4.5")	Subwoofer - 60mm peak-peak excursion, +/-15mm Xmax		14kg/30.8lb	
New 21SW115	€ 547.62	530mm	1700w	35Hz	1000Hz	Copper	Split Winding Voice coil - Carbon fibre reinforced paper cone Double Silicone Spider with optimized compliance FEA Optimized Neo Magnet w/high force factor/linear excursion Ventilated Voice Coil gap with aluminum demodulation ring	Neo Ring	250mm	4.0Ω/4.2Ω (Avail 8Ω)
		21"	4000w/	97dB	30-	153mm (6")	Revised basket design Subwoofer - 60mm peak-peak excursion, +/-15mm Xmax		18.5kg/40.7lb	
New 21SW152	€ 696.53	530mm	2000w	35Hz	1000Hz	Copper	Split Winding Voice coil - Carbon fibre reinforced paper cone Double Silicone Spider with optimized compliance FEA Optimized Neo Magnet w/high force factor/linear excursion Ventilated Voice Coil gap with aluminum demodulation ring	Neo Ring	261mm	4.0Ω/4.3Ω (Avail 8Ω)

**DEMIDOFF SAS**  
 C.P.47-50020 Romola in Chianti (FI)  
<http://www.audion.net>  
<http://www.demidoff.org>  
 e-mail: [info@audion.net](mailto:info@audion.net)  
 Tel / Fax +39 055 827292



Model	Price	Size	Power Cont/AES	Sens Fs	Freq Resp	Voice Coil Size	Notes	Magnet / Weight	Weight Depth	Std Imped. Nom/Min
<b>Coaxials</b>			<b>Ceramic</b>							
8CX21	€ 177.31	8" 210mm	LF/HF 400/50w 200/25w	LF/HF 94/101dB 74Hz	75Hz- 20kHz	LF/HF 52mm(2")/ 36mm(1.4")	Min Recommended Crossover Freq. - 2.2kHz LF - Copper Wire Voicecoil HF - Alum Wire Voicecoil - Polyester Diaphragm	Ceramic	4.0kg/8.8lb 135mm	LF 8.0Ω/6.1Ω HF 8.0Ω/7.2Ω
8CXT	€ 242.11	8" 210mm	LF/HF 400/100 200/50w	LF/HF 96/103dB 76Hz	75Hz- 20kHz	LF/HF 52mm (2") / 44mm (1.7")	Min Recommended Crossover Freq. - 2.0kHz LF - Copper Wire Voicecoil HF - Aluminum Wire Voicecoil - Titanium Diaphragm	Ceramic	3.9kg/8.6lb 129mm	LF 8.0Ω/6.3Ω HF 8.0Ω/7.7Ω
12CXT	€ 219.43	12" 320mm	LF/HF 400/200w 50/45w	LF/HF 98/102dB 49Hz	50Hz- 20kHz	LF/HF 51mm (2") / 36mm (1.4")	Min Recommended Crossover Freq. - 2.2kHz LF - Copper Wire Voicecoil HF - Aluminum Wire Voicecoil - Titanium Diaphragm	Ceramic	5.6kg/12.3lb 179mm	LF 8.0Ω/6.0Ω HF 8.0Ω/7.3Ω
<b>Coaxials</b>			<b>Neodymium</b>							
10NCX	€ 389.78	10" 250mm	LF/HF 400/100w 200/50w	LF/HF 94/106dB 57Hz	60Hz- 18kHz	LF/HF 65mm (2.5") / 65mm (2.5")	70° Dispersion Angle - Min Rec Crossover Freq. - 1.2kHz LF - Aluminum Wire Voicecoil HF - Aluminum Wire Voicecoil - Titanium Diaphragm	Neo Ring	3.9kg/8.6lb 144mm	LF 8.0Ω/6.8Ω HF 8.0Ω/7.3Ω
12NCX	€ 403.34	12" 320mm	LF/HF 400/100w 200/50w	LF/HF 96/106dB 59Hz	60Hz- 18kHz	LF/HF 65mm (2.5") / 65mm (2.5")	70° Dispersion Angle - Min Rec Crossover Freq. - 1.2kHz LF - Aluminum Wire Voicecoil HF - Aluminum Wire Voicecoil - Titanium Diaphragm	Neo Ring	4.1kg/9lb 167mm	LF 8.0Ω/6.6Ω HF 8.0Ω/7.3Ω
12CXN76	€ 485.62	12" 320mm	LF/HF 700/160w 350/80w	LF/HF 99/105dB 42Hz	45Hz- 18kHz	LF/HF 76mm (3") / 76mm (3")	80° Dispersion Angle - ± 10°@-6 dB, up to 16 kHz Min Recommended Crossover Freq. - 1.2kHz LF - Copper Wire Voicecoil - Aluminium demodulating rings HF - Aluminum Wire Voicecoil - Composite Polyester/Titanium Diaphragm	Neo Ring	5.0kg/11lb 168mm	LF 8.0Ω/6.5Ω HF 8.0Ω/8.0Ω
New 12HCX76	€ 512.92	12" 320mm	LF/HF 700/160w 350/80w	LF/HF 99/107dB 42Hz	45Hz- 18kHz	LF/HF 75mm (3") / 75mm (3")	60"x40" Elliptical Horn Min Recommended Crossover Freq. - 1.2kHz LF - Copper Voicecoil - Aluminium demodulating rings HF - Aluminum Voicecoil - Composite Polyester/Titanium Diaph. FEA Optimized Neo Magnet w/high force factor/linear excursion	Neo Ring	5.4kg/11.9lb 170mm	LF 8.0Ω/6.0Ω HF 8.0Ω/8.0Ω
15CXN76	€ 515.65	15" 380mm	LF/HF 800/160w 400/80w	LF/HF 99/105dB 38Hz	40Hz- 18kHz	LF/HF 76mm (3") / 76mm (3")	80° Dispersion Angle - ± 10°@-6 dB, up to 16 kHz Min Recommended Crossover Freq. - 1.2kHz LF - Copper Wire Voicecoil - Aluminium demodulating rings HF - Aluminum Wire Voicecoil - Composite Polyester/Titanium Diaphragm	Neo Ring	5.6kg/12.3lb 198mm	LF 8.0Ω/6.5Ω HF 8.0Ω/8.0Ω
New 15HCX76	€ 544.97	15" 380mm	LF/HF 800/160w 400/80w	LF/HF 99/107dB 38Hz	40Hz- 18kHz	LF/HF 75mm (3") / 75mm (3")	60"x40" Elliptical Horn Min Recommended Crossover Freq. - 1.2kHz LF - Copper Voicecoil - Aluminium demodulating rings HF - Aluminum Voicecoil - Composite Polyester/Titanium Diaph. FEA Optimized Neo Magnet w/high force factor/linear excursion	Neo Ring	5.6kg/12.3lb 198mm	LF 8.0Ω/6.0Ω HF 8.0Ω/8.0Ω

**DEMIDOFF SAS**  
 C.P.47-50020 Romola in Chianti (FI)  
<http://www.audion.net>  
<http://www.demidoff.org>  
 e-mail: info@audion.net  
 Tel/Fax +39 055 827292



Model	Price	Exit	Power Cont/AES	Sens	Freq Resp	Voice Coil Size/Wire	Notes	Magnet / Weight	Weight Diameter	Std Imped. Norm/Min
<b>HF Drivers</b>		<b>Ceramic</b>								
DE10	€ 43.90	1" 25mm	40w/ 20w	107dB	1.5- 18kHz	25mm (1") Aluminum	Polyester Diaphragm Min Min Recommended Crossover Freq. - 2.5kHz	Ceramic	0.8kg/1.8lb 90mm	8.0Ω/6.3Ω
DE12	€ 65.54	1" 25mm	50w/ 25w	106dB	1.5- 18kHz	36mm (1.4") Aluminum	Polyester Diaphragm Min Recommended Crossover Freq. - 2.2kHz	Ceramic	1.0kg/2.2lb 90mm	8.0Ω/7.8Ω
DE12TC	€ 70.69	1" 25mm	50w/ 25w	105dB	1.5- 18kHz	36mm (1.4") Aluminum	Titanium Diaphragm Min Recommended Crossover Freq. - 2.2kHz	Ceramic	1.0kg/2.2lb 90mm	8.0Ω/8.1Ω
DE160	€ 101.35	1" 25mm	80w/ 40w	107dB	1.5- 18kHz	44mm (1.7") Aluminum	Polyester Diaphragm Min Recommended Crossover Freq. - 2kHz	Ceramic	1.6kg/3.5lb 102mm	8.0Ω/7.4Ω
DE180	€ 107.43	1" 25mm	120w/ 60w	106.5dB	1.5- 17kHz	44mm (1.7") Aluminum	Polyimide Diaphragm Min Recommended Crossover Freq. - 2kHz	Ceramic	1.6kg/3.5lb 102mm	8.0Ω/7.4Ω
DE200	€ 110.07	1" 25mm	100w/ 50w	106dB	1.0- 18kHz	44mm (1.7") Aluminum	Titanium Diaphragm Min Recommended Crossover Freq. - 1.6kHz	Ceramic	1.7kg/3.7lb 102mm	8.0Ω/7.5Ω
DE250	€ 116.24	1" 25mm	120w/ 60w	108.5dB	1.0- 18kHz	44mm (1.7") Aluminum	Polyimide Diaphragm Min Recommended Crossover Freq. - 1.6kHz	Ceramic	2.1kg/4.6lb 120mm	8.0Ω/7.5Ω
DE610	€ 186.18	1.4" 36mm	160w/ 80w	108dB	1.0- 18kHz	65mm (2.5") Aluminum	Titanium Diaphragm Min Recommended Crossover Freq. - 1.5kHz	Ceramic	3.8kg/8.4lb 156mm	8.0Ω/7.6Ω
DE60TN	€ 229.49	1.4" 36mm	220w/ 110w	107dB	500Hz- 18kHz	75mm (3") Aluminum	Titanium Diaphragm Shorting copper cap for extended HF response Min Recommended Crossover Freq. - 1.2kHz	Ceramic	4.1kg/9.0lb 156mm	8.0Ω/8.6Ω
DE82TN	€ 258.16	1.4" 36mm	220w/ 110w	106.5dB	500Hz- 18kHz	75mm (3") Aluminum	Titanium Diaphragm Shorting copper cap for extended HF response Min Recommended Crossover Freq. - 1.0kHz	Ceramic	4.5kg/9.9lb 170mm	8.0Ω/8.5Ω
DE700TN	€ 314.13	1.5" 38mm	220w/ 110w	107.5dB	500Hz- 18kHz	75mm (3") Aluminum	Titanium Diaphragm Shorting copper cap for extended HF response Min Recommended Crossover Freq. - 800Hz	Ceramic	6.0kg/13.2lb 180mm	8.0Ω/8.4Ω
DE64TN	€ 229.49	2.0" 50mm	220w/ 110w	107.5dB	500- 18kHz	75mm (3") Aluminum	Titanium Diaphragm Shorting copper cap for extended HF response Min Recommended Crossover Freq. - 1.0kHz	Ceramic	4.1kg/9.0lb 156mm	8.0Ω/8.4Ω
DE85TN	€ 258.16	2.0" 50mm	220w/ 110w	107dB	500Hz- 18kHz	75mm (3") Aluminum	Titanium Diaphragm Shorting copper cap for extended HF response Min Recommended Crossover Freq. - 1.0kHz	Ceramic	4.5kg/9.9lb 170mm	8.0Ω/8.2Ω
DE750TN	€ 318.63	2.0" 50mm	220w/ 110w	107.5dB	500Hz- 18kHz	75mm (3") Aluminum	Titanium Diaphragm Shorting copper cap for extended HF response Min Recommended Crossover Freq. - 800Hz	Ceramic	6.3kg/13.9lb 180mm	8.0Ω/8.8Ω

**DEMIDOFF SAS**  
 C.P.47-50020 Romola in Chianti (FI)  
<http://www.audion.net>  
<http://www.demidoff.org>  
 e-mail: [info@audion.net](mailto:info@audion.net)  
 Tel/Fax +39 055 827292



Model	Price	Exit	Power Cont/AES	Sens	Freq Resp	Voice Coil Size/Wire	Notes	Magnet / Weight	Weight Diameter	Std Imped. Nom/Min
<b>HF Drivers</b>		<b>Neodymium</b>								
<i>New</i> DE38	€ 112.00	1" 25mm	80w/ 40w		1.5- 20kHz	38mm (1.5") Aluminum	Revised design - improved performance Polyester Diaphragm - 1.5" flat copper clad aluminum voice coil Unique polymer phase plug greatly reduces distortion levels and enhances sensitivity	Neo Ring	0.5kg/1.1lb 56mm	8.0Ω/8.1Ω
DE400	€ 130.33	1" 25mm	100w/ 50w		1.2- 18kHz	44mm (1.7") Aluminum	Polyimide Diaphragm Compact Neo Magnet assembly w/shorting copper cap Min Recommended Crossover Freq. - 1.6kHz	Neo Ring	0.8kg/1.8lb 85mm	8.0Ω/7.7Ω
DE400TN	€ 130.33	1" 25mm	100w/ 50w	106dB	1.2- 18kHz	44mm (1.7") Aluminum	Titanium Diaphragm Compact Neo Magnet assembly w/shorting copper cap Min Recommended Crossover Freq. - 1.5kHz	Neo Ring	0.8kg/1.8lb 85mm	8.0Ω/7.7Ω
DE500	€ 176.12	1" 25mm	100w/ 50w		1.0- 18kHz	44mm (1.7") Aluminum	Compact NeoMagnet assembly w/shorting copper cap Min Recommended Crossover Freq. - 1.5kHz	Neo Ring	1.4kg/3.1lb 102mm	8.0Ω/7.6Ω
DE800	€ 375.82	1.4" 36mm	220w/ 110w		500Hz- 18kHz	75mm (3") Aluminum	Composite Polyimide/Titanium Diaphragm Compact Neo Magnet assembly w/shorting copper cap Min Recommended Crossover Freq. - 1.5kHz	Neo Ring	2.3kg/5.1lb 124mm	8.0Ω/8.6Ω
<i>New</i> DE820TN	€ 375.82	1.4" 36mm	220w/ 110w	108dB	500Hz- 18kHz	75mm (3") Aluminum	Composite Polyimide/Titanium Diaphragm Compact Neo Magnet assembly w/shorting copper cap Min Recommended Crossover Freq. - 1.5kHz	Neo Ring	2.3kg/5.1lb 124mm	8.0Ω/8.6Ω
DE900TN	€ 471.57	1.4" 36mm	220w/ 110w		500Hz- 18kHz	75mm (3") Aluminum	Titanium Diaphragm Compact Neo Magnet assembly w/shorting copper cap Min Recommended Crossover Freq. - 1.2kHz	Neo Ring	2.6kg/5.7lb 131mm	8.0Ω/7.8Ω
DE920TN	€ 457.19	1.4" 36mm	220w/ 110w	108.5dB	500Hz- 18kHz	75mm (3") Aluminum	Titanium Diaphragm Compact Neo Magnet assembly w/shorting copper cap Min Recommended Crossover Freq. - 1.2kHz	Neo Ring	2.6kg/5.7lb 131mm	8.0Ω/7.8Ω
DE1000	€ 555.40	1.5" 38mm	280w/ 140w		500Hz- 20kHz	100mm (4") Aluminum	Titanium Diaphragm Compact Neo Magnet assembly w/shorting copper cap Min Recommended Crossover Freq. - 1.2kHz	Neo Ring	3.4kg/7.5lb 154mm	8.0Ω/8.1Ω
DE950TN	€ 495.65	2.0" 50mm	220w/ 110w	108.5dB	500Hz- 18kHz	75mm (3") Aluminum	Titanium Diaphragm Compact Neo Magnet assembly w/shorting copper cap Min Recommended Crossover Freq. - 800Hz	Neo Ring	2.7kg/5.9lb 131mm	8.0Ω/8.3Ω
DE1050	€ 585.69	2.0" 50mm	280w/ 140w	109dB	500Hz- 20kHz	100mm (4") Aluminum	Titanium Diaphragm Compact Neo Magnet assembly w/shorting copper cap Min Recommended Crossover Freq. - 800Hz	Neo Ring	3.6kg/7.9lb 154mm	8.0Ω/8.1Ω

**DEMIDOFF SAS**

C.P.47-50020 Romola in Chianti (FI)  
<http://www.audion.net>  
<http://www.demidoff.org>  
 e-mail: info@audion.net  
 Tel/Fax +39 055 827292



Model	Price	Exit	Power Cont/AES	Sens	Freq Resp	Voice Coil Size/Wire	Notes	Magnet / Weight	Weight Diameter	Std Imped. Nom/Min
<b>HF Line Array Source</b>		<b>Neodymium</b>								
New WGX12	€ 130.70	1"x4" 25x102 mm	50w/ 25w	106dB	1.5kHz- 18kHz	36mm (1.4") Aluminum	Line Array Optimized Cast Aluminum Waveguide Mylar Diaphragm (DE12) 140° maximum horizontal coverage - Min Rec Crossover - 2.2kHz	Ceramic	1.5kg/3.3lb	8.0Ω/7.8Ω
New WGX200	€ 175.23	1"x4" 25x102 mm	100w/ 50w	105dB	1.0kHz- 18kHz	44mm (1.7") Aluminum	Line Array Optimized Cast Aluminum Waveguide Polyimide Diaphragm (DE200) 140° maximum horizontal coverage - Min Rec Crossover - 1.6kHz	Ceramic	2.2kg/4.8lb	8.0Ω/7.5Ω
New WGX400	€ 195.48	1"x4" 25x102 mm	100w/ 50w	106dB	1.2kHz- 18kHz	44mm (1.7") Aluminum	Line Array Optimized Cast Aluminum Waveguide Polyimide Diaphragm - Compact Neo Magnet (DE400) 140° maximum horizontal coverage - Min Rec Crossover - 1.5kHz	Neo Ring	1.25kg/2.8lb	8.0Ω/7.7Ω
New WGX500	€ 241.28	1"x4" 25x102 mm	100w/ 50w	107 dB	1.0kHz- 18kHz	44mm (1.7") Aluminum	Line Array Optimized Cast Aluminum Waveguide Titanium Diaphragm - Neo Magnet (DE500) 140° maximum horizontal coverage - Min Rec Crossover - 1.2kHz	Neo Ring	1.85kg/4.1lb	8.0Ω/7.6Ω
New WGX610	€ 309.01	1"x6" 25x153 mm	220w/ 110w	108dB	1.0kHz- 18kHz	75mm (3") Aluminum	Line Array Optimized Cast Aluminum Waveguide Composite Polyimide/Titanium Diaphragm (DE610) 120° maximum horizontal coverage - Min Rec Crossover - 1.2kHz	Ceramic	4.8kg/10.6lb	8.0Ω/8.6Ω
New WGX800	€ 488.76	1"x6" 25x153 mm	220w/ 110w	108dB	500Hz- 18kHz	75mm (3") Aluminum	Line Array Optimized Cast Aluminum Waveguide Composite Polyimide/Titanium Diaphragm - Neo Magnet (DE800) 120° maximum horizontal coverage - Min Rec Crossover - 800Hz	Neo Ring	3.3kg/7.3lb	8.0Ω/8.6Ω
New WGX820TN	€ 488.76	1"x6" 25x153 mm	220w/ 110w	108dB	500Hz- 18kHz	75mm (3") Aluminum	Line Array Optimized Cast Aluminum Waveguide Titanium Diaphragm - Neo Magnet (DE820TN) 120° maximum horizontal coverage - Min Rec Crossover - 800Hz	Neo Ring	3.3kg/7.3lb	8.0Ω/8.5Ω
New WGX920TN	€ 570.13	1"x6" 25x153 mm	220w/ 110w	108.5dB	500Hz- 17kHz	75mm (3") Aluminum	Line Array Optimized Cast Aluminum Waveguide Titanium Diaphragm - Neo Magnet (DE920TN) 120° maximum horizontal coverage - Min Rec Crossover - 800Hz	Neo Ring	3.6kg/7.9lb	8.0Ω/7.8Ω

Other models also available upon request using standard B&C 1" and 1.4" exit models. Data available upon request. WGX waveguide horns not sold separately.

**DEMIDOFF SAS**  
 C.P.47-50020 Romola in Chianti (FI)  
<http://www.audion.net>  
<http://www.demidoff.org>  
 e-mail: [info@audion.net](mailto:info@audion.net)  
 Tel/Fax +39 055 827292



Model	Price	Exit	Power Cont/AES	Sens Fs	Freq Resp	Voice Coil Size/Wire	Notes	Magnet / Weight	Weight Diameter	Std Imped. Nom/Min
<b>MF Drivers</b>			<b>Neodymium</b>							
DCM50	€ 385.62	2.0" / 50mm	160w / 80w	108.5dB	400Hz-10kHz	51mm (2") / Aluminum	Min Recommended Crossover Freq. - 400Hz 5" Composite Diaphragm (Paper/Carbon Fiber)	Neo Ring	3.2kg/7lb / 152mm	8.0Ω/8.0Ω
<b>Coaxial HF Drivers</b>			<b>Neodymium</b>							
DCX50	€ 517.97	2.0" / 50mm	LF/HF 160/36w / 80/18w	LF/HF 108.5dB	400Hz-16kHz	LF/HF 51mm (2") / 32mm (1.2")	Aluminum Wire Voicecoil Min Recommended Crossover Freq. - 400Hz(MF)/900Hz(HF) MF - 5" Composite Diaphragm (Paper/Carbon Fiber) HF - Polyester Diaphragm - Aluminum Wire Voicecoil	Neo Ring	3.3kg/7.3lb / 152mm	MF 8.0Ω/7.0Ω HF 8.0Ω/7.8Ω

Model	Price	Exit	Power Cont/AES	Sens Fs	Freq Resp	Voice Coil Size/Wire	Notes	Magnet / Weight	Weight Diameter	Std Imped. Nom/Min
<b>Tweeters</b>			<b>Neodymium</b>							
DE35	€ 70.44	4" / 100mm	40w / 20w	107dB	3.5-18kHz	32mm (1.25") / Aluminum	Polyester Diaphragm	Neo-Slug	0.7kg/1.5lb / 46mm	8.0Ω/7.0Ω

Model	Price	Throat	Coverage H° x V°	Freq Resp	Material	Notes	Dimensions	Weight	Colour
<b>HF Horns</b>									
ME10	€ 14.30	1" / 25mm	90°x40°	1.5kHz>	ABS	Hyperbolic Cosine flare - Excellent loading down to 1.5kHz	130.5x130.5 x90mm	0.15kg/0.33lb	Black
ME20	€ 23.33	1" / 25mm	90°x40°	1.5kHz>	Cast Aluminum	Exponential flare - Excellent loading down to 1.5kHz	145x145 x90mm	0.45kg/1.0lb	Black
ME45	€ 48.50	1" / 25mm	90°x40°	1.0kHz>	Cast Aluminum	Exponential flare - Excellent loading down to 1.0kHz	310x143 x124mm	0.8kg/1.8lb	Black
ME60	€ 87.96	2" / 50mm	60°x40°	800Hz>	Cast Aluminum	Constant Directivity - Excellent loading down to 800Hz	270x237 x202mm	1.6kg/3.5lb	Black
ME90	€ 70.93	2" / 50mm	80°x60°	900Hz>	Cast Aluminum	Constant Directivity - Excellent loading down to 900Hz	270x270 x138mm	1.4kg/3.1lb	Black

**DEMIDOFF SAS**  
 C.P.47-50020 Romola in Chianti (FI)  
<http://www.audion.net>  
<http://www.demidoff.org>  
 e-mail: info@audion.net  
 Tel / Fax +39 055 827292

HF Drivers	8 OHM Fast On Tabs	16 OHM Fast-On Tabs	8 OHM Push Buttons	16 OHM Push Buttons	Price
DE10	MMD0108				€ 19.93
DE12	MMD0128	MMD01216			€ 31.54
DE12TC	MMD012TN8B	MMD012TN16B			€ 36.79
DE32	MMD0328				€ 27.98
DE34	MMD0348				€ 27.49
DE35	MMD0358				€ 29.95
DE38	MMD0388				€ 47.04
DE60TN		MMD060TN16			€ 114.66
DE64TN	MMD064TN8	MMD064TN16			€ 114.66
DE65			MMD3A16M		€ 114.66
DE72	MMD3A8				€ 114.66
DE72TN			MMD3ATN8M		€ 114.66
DE75	MMD3A8	MMD3A16	MMD3A8M	MMD3A16M	€ 114.66
DE75TN	MMD3ATN8	MMD3ATN16	MMD3ATN8M	MMD3ATN16M	€ 114.66
DE82	MMD3A8	MMD3A16	MMD3A8M		€ 114.66
DE82TN	MMD3ATN8	MMD3ATN16	MMD3ATN8M		€ 114.66
DE85	MMD3A8	MMD3A16	MMD3A8M		€ 114.66
DE85TN	MMD3ATN8	MMD3ATN16	MMD3ATN8M		€ 114.66
DE160	MMDDE1608	MMDDE16016	MMDDE1608M		€ 42.36
DE180	MMDDE1808	MMDDE18016			€ 44.30
DE200	MMD2008	MMD20016			€ 48.07
DE250	MMDDE2508	MMDDE25016	MMDDE2508M	MMDDE25016M	€ 44.30
DE400	MMD4008	MMD40016			€ 48.07
DE400TN	MMD400TN8	MMD400TN16			€ 48.07

HF Drivers	8 OHM Fast On Tabs	16 OHM Fast-On Tabs	8 OHM Push Buttons	16 OHM Push Buttons	Price
DE500	MMD5008	MMD50016			€ 48.07
DE600	MMD6008	MMD60016	MMD6008M	MMD60016M	€ 90.39
DE610	MMD6108	MMD61016	MMD6108	MMD61016	€ 90.39
DE700			MMD3A8M	MMD3A16M	€ 114.66
DE700TN			MMD3ATN8M		€ 114.66
DE750			MMD3A8M	MMD3A16M	€ 114.66
DE750TN			MMD3ATN8M	MMD3ATN16M	€ 114.66
DE800	MMD8008	MMD80016			€ 128.13
DE820TN	MMD3CTN8	MMD3CTN16			€ 128.13
DE900	MMD3B8	MMD3B16			€ 128.13
DE900TN	MMD3BTN8	MMD3BTN16			€ 128.13
DE910	MMD3B8	MMD3B16			€ 128.13
DE910TN	MMD3BTN8	MMD3BTN16			€ 128.13
DE920TN	MMD3CTN8	MMD3CTN16			€ 128.13
DE950	MMD3B8	MMD3B16			€ 128.13
DE950TN	MMD3BTN8	MMD3BTN16			€ 128.13
DE1000	MMD4ATN8				€ 153.72
DE1050	MMD4ATN8				€ 153.72



## DIAPHRAGM PRICE LIST

All prices and specifications are subject to  
change without notice.

2009.04.01 Revision 2

**DEMIDOFF SAS**

C.P.47-50020 Romola in Chianti (FI)  
<http://www.audion.net>  
<http://www.demidoff.org>  
 e-mail: [info@audion.net](mailto:info@audion.net)  
 Tel/Fax +39 055 827292